

Railway (TFDE011)

1SN R1AT

EN 853 1SN - SAE 100 R1AT - ISO 1436 1SN

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	001C-03	14,5	Standard	NO SKIVE			
1/4"	04	6	001C-04	15,5	Standard	NO SKIVE			
5/16"	05	8	001C-05	17,8	Standard	NO SKIVE			
3/8"	06	10	001C-06	20,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	23,4	Standard	NO SKIVE			
5/8"	10	16	001C-10	26,8	Standard	NO SKIVE			
3/4"	12	19	001C-12	31,0	Standard	NO SKIVE			
1"	16	25	001C-16	38,8	Standard	NO SKIVE			
1.1/4"	20	31	001C-20	48,0	Standard	NO SKIVE			
1.1/2"	24	38	001C-24	55,2	Standard	NO SKIVE			
2"	32	51	001C-32	68,4	Standard	NO SKIVE			

Hypress ONE 1SN (TFD0012 -TFD2012); HyFreeze (TFDL012N);HyCelsius ONE (TFDH012B) ;HyCompressor ONE (TFDC012B)

ONE

Hypress One 1SN - EN 853 - SAE100R1AT - ISO 1436

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	001C-03	14,0	Standard	NO SKIVE			
1/4"	04	6	001C-04	15,0	Standard	NO SKIVE			
			012N-04	13,6	Standard	SKIVE	21		
5/16"	05	8	001C-05	17,2	Standard	NO SKIVE			
			012N-05	15,7	Standard	SKIVE	22		
3/8"	06	10	001C-06	20,0	Standard	NO SKIVE			
			012N-06	17,9	Standard	SKIVE	23		
1/2"	08	12	001C-08	22,6	Standard	NO SKIVE			
			012N-08	20,8	Standard	SKIVE	24		
5/8"	10	16	001C-10	26,5	Standard	NO SKIVE			
			012N-10	23,9	Standard	SKIVE	26		

Hypress ONE 1SN (TFD0012 - TFD2012); HyFreeze (TFDL012N); HyCelsius
ONE (TFDH012B) ;HyCompressor ONE (TFDC012B)

ONE

Hypress One 1SN - EN 853 - SAE100R1AT - ISO 1436

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	19	001C-12	30,3	Standard	NO SKIVE			
			012N-12	28,7	Standard	SKIVE	31		
1"	16	25	001C-16	38,0	Standard	NO SKIVE			
			012N-16	36,4	Standard	SKIVE	38		
1.1/4"	20	31	001C-20	45,8	Standard	NO SKIVE			
			012C-20	44,0	Standard	SKIVE	43		
1.1/2"	24	38	001C-24	54,0	Standard	NO SKIVE			
			012C-24	50,5	Standard	SKIVE	49		
2"	32	51	001C-32	67,4	Standard	NO SKIVE			
			012C-32	64,0	Standard	SKIVE	58		
2.1/2"	40	63	012C-40	78,5	Standard	SKIVE	63		

Hypress TWO 2SN (TFD0022 - TFD2022; HyFreeze (TFDL022N); HyCelsius
TWO (TFDH022B)

TWO

Hypress Two 2SN - EN 853 - SAE100R2AT - ISO 1436

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	0022-03	15,9	Standard	NO SKIVE			
1/4"	04	6	0022-04	16,9	Standard	NO SKIVE			
			012N-04	15,0	Standard	SKIVE	21		
5/16"	05	8	0022-05	18,8	Standard	NO SKIVE			
			012N-05	16,6	Standard	SKIVE	22		
3/8"	06	10	0022-06	20,5	Standard	NO SKIVE			
			012N-06	19,2	Standard	SKIVE	23		
1/2"	08	12	0022-08	24,4	Standard	NO SKIVE			
			012N-08	22,1	Standard	SKIVE	24		
5/8"	10	16	0022-10	27,9	Standard	NO SKIVE			
			012N-10	25,3	Standard	SKIVE	26		
3/4"	12	19	0022-12	32,1	Standard	NO SKIVE			

Hypress TWO 2SN (TFD0022 - TFD2022; HyFreeeze (TFDL022N); HyCelsius TWO (TFDH022B)

TWO

Hypress Two 2SN - EN 853 - SAE100R2AT - ISO 1436

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	19	012N-12	29,7	Standard	SKIVE	31		
1"	16	25	0022-16	39,6	Standard	NO SKIVE			
			012N-16	38,1	Standard	SKIVE	38		
1.1/4"	20	31	0022-20	48,6	Standard	NO SKIVE			
			012N-20	48,9	Standard	SKIVE	43		
1.1/2"	24	38	0022-24	56,4	Standard	NO SKIVE			
			012N-24	53,9	Standard	SKIVE	49		
2"	32	51	0022-32	69,5	Standard	NO SKIVE			
			012N-32	66,8	Standard	SKIVE	58		

Hypress 1SC (TFE001K - TFE201K); Longlife 1SC (THE201K - THEY01K); LongLift 1SC (THL201K); LongLife Dual 1SC (T2E101K); HyGEAR (THE0G1K)

1SC

EN 857 1SC ISO 11237 1SC

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	001C-03	13,8	Standard	NO SKIVE			
1/4"	04	6	001C-04	15,1	Standard	NO SKIVE			
5/16"	05	8	001C-05	16,9	Standard	NO SKIVE			
3/8"	06	10	001C-06	19,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	22,1	Standard	NO SKIVE			
5/8"	10	16	001C-10	26,0	Standard	NO SKIVE			
3/4"	12	19	001C-12	29,8	Standard	NO SKIVE			
1"	16	25	001C-16	37,4	Standard	NO SKIVE			
1.1/4"	20	31	001C-20	45,5	Standard	NO SKIVE			
1.1/2"	24	38	001C-24	53,6	Standard	NO SKIVE			
2"	32	51	001C-32	66,2	Standard	NO SKIVE			
2.1/2"	40	63	001C-40	79,2	Standard	NO SKIVE			
3"	48	76	001C-48	91,0	Standard	NO SKIVE			

Hypress 2SC (TFE202K-TFEY02K-TFEV02K); Longlife 2SC (THE202K-THEY02K-THEV02K); LongLift 2SC (THL202K); LongLife Dual 2SC (T2E102K)

2SC

EN 857 2SC - ISO 11237 2SC - SAE 100R16

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	001C-03	14,7	Standard	NO SKIVE			
1/4"	04	6	001C-04	15,5	Standard	NO SKIVE			
5/16"	05	8	001C-05	17,8	Standard	NO SKIVE			
3/8"	06	10	001C-06	20,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	23,0	Standard	NO SKIVE			
5/8"	10	16	001C-10	26,8	Standard	NO SKIVE			
3/4"	12	19	001C-12	30,7	Standard	NO SKIVE			
1"	16	25	001C-16	38,6	Standard	NO SKIVE			
1.1/4"	20	31	001C-20	46,9	Standard	NO SKIVE			
1.1/2"	24	38	001C-24	55,0	Standard	NO SKIVE			
2"	32	51	001C-32	67,8	Standard	NO SKIVE			
2.1/2"	40	63	001C-40	81,2	Standard	NO SKIVE			
3"	48	76	001C-48	92,6	Standard	NO SKIVE			

Hypress Easy K 1SC (TFA201KI)

Easy K 1SC

EN 857 1SC - ISO 11237 1SC

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	001C-04	15,1	Standard	NO SKIVE			
5/16"	05	8	001C-05	16,9	Standard	NO SKIVE			
3/8"	06	10	001C-06	19,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	22,1	Standard	NO SKIVE			
5/8"	10	16	001C-10	26,0	Standard	NO SKIVE			
3/4"	12	19	001C-12	29,8	Standard	NO SKIVE			
1"	16	25	001C-16	37,4	Standard	NO SKIVE			

Hypress Easy K 2SC (TFA202KI)

Easy K 2SC

EN 857 2SC - ISO 11237 2SC

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	001C-04	15,5	Standard	NO SKIVE			
5/16"	05	8	001C-05	17,8	Standard	NO SKIVE			
3/8"	06	10	001C-06	20,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	22,8	Standard	NO SKIVE			
5/8"	10	16	001C-10	26,5	Standard	NO SKIVE			
3/4"	12	19	001C-12	30,7	Standard	NO SKIVE			
1"	16	25	001C-16	38,6	Standard	NO SKIVE			

TFS0017

R17

SAE 100 R17 (3000 PSI) - ISO 11237 R17

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	001C-03	13,5	Standard	NO SKIVE			
1/4"	04	6	001C-04	15,1	Standard	NO SKIVE			
5/16"	05	8	001C-05	16,9	Standard	NO SKIVE			
3/8"	06	10	001C-06	19,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	22,3	Standard	NO SKIVE			
5/8"	10	16	001C-10	26,8	Standard	NO SKIVE			
3/4"	12	19	001C-12	30,7	Standard	NO SKIVE			
1"	16	25	001C-16	39,2	Standard	NO SKIVE			

Marathon 2SC (THE2M2K-THEYM2K-THEVM2K)

2MC

EN 857 2SC

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	001C-04	15,5	Standard	NO SKIVE			
5/16"	05	8	001C-05	17,8	Standard	NO SKIVE			

Marathon 2SC (THE2M2K-THEYM2K-THEVM2K)

2MC

EN 857 2SC

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	10	001C-06	20,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	23,0	Standard	NO SKIVE			
			0022-08	24,0	Standard	NO SKIVE			
5/8"	10	16	001C-10	26,8	Standard	NO SKIVE			
3/4"	12	19	001C-12	30,7	Standard	NO SKIVE			
1"	16	25	0022-16	39,4	Standard	NO SKIVE			

THE0T3K

TREEATLHON

3SC

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	10	0022-06	21,0	Standard	NO SKIVE			
1/2"	08	12	003C-08	25,6	Standard	NO SKIVE			
5/8"	10	16	003C-10	29,7	Standard	NO SKIVE			
3/4"	12	19	003C-12	33,1	Standard	NO SKIVE			
1"	16	25	003C-16	41,7	Standard	NO SKIVE			

Jet 1SC (TFN001K - TFB001K); JetPlus 1SC (THN001K - THB001K)

JET / JET PLUS 1SC

JET / JET PLUS 1SC

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	001C-04	15,1	Standard	NO SKIVE			
5/16"	05	8	001C-05	16,9	Standard	NO SKIVE			
3/8"	06	10	001C-06	19,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	22,1	Standard	NO SKIVE			

Jet 2SC; TFN002K; TFB002K; JetPlus 2SC; THN002K; THB002K

JET / JET PLUS 2SC

JET / JET PLUS 2SC

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	001C-04	15,5	Standard	NO SKIVE			
5/16"	05	8	001C-05	17,8	Standard	NO SKIVE			
3/8"	06	10	001C-06	20,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	23,0	Standard	NO SKIVE			
			0022-08	24,0	Standard	NO SKIVE			

HyWasher (TEB0E28-TEN0E28); HyWasher Plus (TCB2E28-TCN2E28)

Hy-W / Hy-W Plus 280

HyWasher 280 bar

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	001L-04	14,9	Standard	NO SKIVE			
			0008-04	14,0	Standard	NO SKIVE			
5/16"	05	8	001L-05	16,7	Standard	NO SKIVE			
			0008-05	16,2	Standard	NO SKIVE			
3/8"	06	10	001L-06	18,8	Standard	NO SKIVE			
			0008-06	17,7	Standard	NO SKIVE			
1/2"	08	12	001L-08	21,7	Standard	NO SKIVE			
			0008-08	20,7	Standard	NO SKIVE			

HyWasher (TEB0E42-TEN0E42); HyWasher Plus (TCB2E42-TCN2E42)

Hy-W / Hy-W Plus 420

HyWasher 420 bar

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	001C-04	15,5	Standard	NO SKIVE			
5/16"	05	8	001C-05	17,8	Standard	NO SKIVE			
3/8"	06	10	001C-06	20,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	23,2	Standard	NO SKIVE			

TFE2P15

Pilot Plus 150

Pilot Plus 150

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	001C-03	13,8	Standard	NO SKIVE			
1/4"	04	6	001C-04	15,0	Standard	NO SKIVE			
5/16"	05	8	001C-05	16,8	Standard	NO SKIVE			
3/8"	06	10	001C-06	19,3	Standard	NO SKIVE			
1/2"	08	12	001C-08	21,8	Standard	NO SKIVE			

TFE2PF2

PilotFlex 120

PilotFlex 120

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	0007-03	11,6	Standard	NO SKIVE			
1/4"	04	6	001C-04	14,0	Standard	NO SKIVE			
5/16"	05	8	001C-05	16,8	Standard	NO SKIVE			

THE2J2K;THEYJ2K

HYJACK

Hyjack

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	002M-04	15,4	Multispiral	SKIVE	29		
3/8"	06	10	002M-06	20,0	Multispiral	SKIVE	31		

Hytruck 200 bar (TTRK200)

HYTRUCK 200

HyTruck 200

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	19	001C-12	29,8	Standard	NO SKIVE			

Hytruck 200 bar (TTRK200)

HYTRUCK 200

HyTruck 200

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1"	16	25	001C-16	38,6	Standard	NO SKIVE			

Hytruck 250 bar (TTRK250)

HYTRUCK 250

HyTruck 250

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	19	001C-12	29,8	Standard	NO SKIVE			
1"	16	25	001C-16	38,6	Standard	NO SKIVE			

Hytruck 350 bar (TTRK350)

HYTRUCK 350

HyTruck 350

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	19	001C-12	30,7	Standard	NO SKIVE			
1"	16	25	001C-16	38,6	Standard	NO SKIVE			

HyGreen R15 (TFDG015-TFDR015)

R15

ISO 3862 R15 - SAE 100 R15 (6000 PSI)

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
5/8"	10	16	0013-10	29,5	Inter-lock	SKIVE	47	15	
3/4"	12	19	004N-12	33,2	Inter-lock	SKIVE	52	15	
1"	16	25	0013-16	43,3	Inter-lock	SKIVE	64	17	
1.1/4"	20	31	0013-20	54,2	Inter-lock	SKIVE	74	22	
1.1/2"	24	38	0013-24	60,5	Inter-lock	SKIVE	84	22	
2"	32	51	0013-32	77,9	Inter-lock	SKIVE	87	30	

HyGreen R13 (TFDG013 - TFDR013)

R13

EN 856 R13 - SAE 100 R13 (5000 PSI) - ISO 3862 R13

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	19	004N-12	33,2	Inter-lock	SKIVE	52	15	
1"	16	25	0013-16	43,3	Inter-lock	SKIVE	64	17	
1.1/4"	20	31	0013-20	54,2	Inter-lock	SKIVE	74	22	
1.1/2"	24	38	0013-24	60,5	Inter-lock	SKIVE	84	22	
2"	32	51	0013-32	77,9	Inter-lock	SKIVE	87	30	

HyGreen 4SH (TFDR4SH - TFDG4SH)

4SH

EN 856 4SH - ISO 3862 4SH

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	19	004N-12	33,0	Inter-lock	SKIVE	52	15	
			0N14-12	36,8	"N" tail	NO SKIVE			
1"	16	25	004N-16	41,2	Inter-lock	SKIVE	64	17	
			0N14-16	44,6	"N" tail	NO SKIVE			
1.1/4"	20	31	004N-20	50,5	Inter-lock	SKIVE	74	22	
			0N14-20	51,7	"N" tail	NO SKIVE			
1.1/2"	24	38	004N-24	56,8	Inter-lock	SKIVE	84	22	
2"	32	51	004N-32	72,3	Inter-lock	SKIVE	87	30	

Hypress 4SP (TFDM4SP)

4SP

EN 856 4SP - ISO 3862 4SP

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	0009-04	17,5	Standard	SKIVE	19		
3/8"	06	10	0009-06	22,6	Standard	SKIVE	21		
1/2"	08	12	0009-08	26,5	Standard	SKIVE	22,5		
5/8"	10	16	0009-10	30,1	Standard	SKIVE	31		

Hypress 4SP (TFDM4SP)

4SP

EN 856 4SP - ISO 3862 4SP

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	19	0009-12	33,8	Standard	SKIVE	34		
1"	16	25	0009-16	42,3	Standard	SKIVE	48		
			BMC1-16	46,0	Standard	NO SKIVE			
1.1/4"	20	31	0009-20	51,2	Standard	SKIVE	54		
			BMC2-20	57,3	Standard	NO SKIVE			
1.1/2"	24	38	0009-24	60,3	Standard	SKIVE	62		
2"	32	51	0009-32	73,2	Standard	SKIVE	64		

TSR04SP

FOUR

4SP

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	10	OSI4-06	20,9	Standard	SKIVE	23		
1/2"	08	12	OSI4-08	23,8	Standard	SKIVE	24,5		
5/8"	10	16	OSI4-10	28,2	Standard	SKIVE	27,5		
3/4"	12	19	0009-12	32,8	Standard	SKIVE	34		
1"	16	25	0009-16	41,5	Standard	SKIVE	48		
1.1/4"	20	31	004H-20	47,9	Standard	SKIVE	53		
1.1/2"	24	38	004H-24	57,1	Standard	SKIVE	64		

HySOpress 3k (TIB2021-TIBY021-TIBV021)

IB21

HySOpress 3k ISO 18752 / Braided

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	001C-04	15,1	Standard	NO SKIVE			
5/16"	05	8	001C-05	16,9	Standard	NO SKIVE			
3/8"	06	10	001C-06	19,4	Standard	NO SKIVE			

HySOpress 3k (TIB2021-TIBY021-TIBV021)

IB21

HySOpress 3k ISO 18752 / Braided

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/2"	08	12	001C-08	22,8	Standard	NO SKIVE			
5/8"	10	16	001C-10	26,8	Standard	NO SKIVE			
3/4"	12	19	001C-12	30,7	Standard	NO SKIVE			
1"	16	25	001C-16	38,6	Standard	NO SKIVE			

HySOpress 4k (TIB2028-TIBY028-TIBV028)

IB28

HySOpress ISO 18752 / Braided

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	001C-04	15,5	Standard	NO SKIVE			
3/8"	06	10	001C-06	20,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	23,0	Standard	NO SKIVE			
5/8"	10	16	001C-10	26,8	Standard	NO SKIVE			
3/4"	12	19	001C-12	30,7	Standard	NO SKIVE			

HySOpress 5k (TIB2035-TIBY035-TIBV035)

IB35

HySOpress 5k ISO 18752 / Braided

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	001C-04	15,5	Standard	NO SKIVE			
3/8"	06	10	001C-06	20,4	Standard	NO SKIVE			
1/2"	08	12	001C-08	23,0	Standard	NO SKIVE			
			0022-08	24,0	Standard	NO SKIVE			

HySopress 6k (TIB2042-TIBY042-TIBV042)

IB42

HySopress 6k ISO 18752 / Braided

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	001C-04	15,5	Standard	NO SKIVE			

HySopress 3k (TIS0021-TISM021-TISV021)

IS21

HySopress 3k ISO 18752 / Spiral

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1.1/4"	20	31	0N14-20	51,7	"N" tail	NO SKIVE			
			004H-20	47,9	Standard	SKIVE	53		
1.1/2"	24	38	004H-24	57,1	Standard	SKIVE	64		
			0N14-24	58,8	"N" tail	NO SKIVE			
2"	32	51	004N-32	72,3	Inter-lock	SKIVE	87	30	
			0N14-32	73,8	"N" tail	NO SKIVE			

HySopress 4k (TIS0028-TISM028-TISM028)

IS28

HySopress 4k ISO 18752 / Spiral

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	10	0N14-06	24,3	"N" tail	NO SKIVE			
			0S14-06	20,9	Standard	SKIVE	23		
1/2"	08	12	0N14-08	26,9	"N" tail	NO SKIVE			
			0S14-08	23,8	Standard	SKIVE	24,5		
5/8"	10	16	0N14-10	30,8	"N" tail	NO SKIVE			
			0S14-10	28,0	Standard	SKIVE	27,5		
3/4"	12	19	0N14-12	36,2	"N" tail	NO SKIVE			
			0009-12	32,8	Standard	SKIVE	34		
1"	16	25	0N14-16	44,0	"N" tail	NO SKIVE			
			0009-16	41,5	Standard	SKIVE	48		

HySopress 4k (TIS0028-TISM028-TISM028)

IS28

HySopress 4k ISO 18752 / Spiral

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1.1/4"	20	31	0NI4-20	51,7	"N" tail	NO SKIVE			
			004H-20	47,7	Standard	SKIVE	53		
1.1/2"	24	38	0NI4-24	59,4	"N" tail	NO SKIVE			
			004N-24	56,3	Inter-lock	SKIVE	84	22	
2"	32	51	004N-32	72,7	Inter-lock	SKIVE	87	30	
			0NI4-32	74,3	"N" tail	NO SKIVE			

HySopress 5k (TIS0035-TISM035-TISM035)

IS35

HySopress 5k ISO 18752 / Spiral

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	10	0NI4-06	24,3	"N" tail	NO SKIVE			
			0SI4-06	20,9	Standard	SKIVE	23		
1/2"	08	12	0NI4-08	26,9	"N" tail	NO SKIVE			
			0SI4-08	23,8	Standard	SKIVE	24,5		
5/8"	10	16	0NI4-10	30,8	"N" tail	NO SKIVE			
			0SI4-10	28,0	Standard	SKIVE	27,5		
3/4"	12	19	0NI4-12	36,2	"N" tail	NO SKIVE			
			0009-12	32,8	Standard	SKIVE	34		
1"	16	25	0NI4-16	44,0	"N" tail	NO SKIVE			
			004N-16	40,6	Inter-lock	SKIVE	64	17	
1.1/4"	20	31	0NI4-20	52,1	"N" tail	NO SKIVE			
			004N-20	50,3	Inter-lock	SKIVE	74	22	
1.1/2"	24	38	0NI4-24	59,2	"N" tail	NO SKIVE			
			004N-24	57,1	Inter-lock	SKIVE	84	22	

HySopress 6k (TIS0042-TISM042-TISV042)

IS42

HySopress 6k ISO 18752 / Spiral

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	10	ONI4-06	24,3	"N" tail	NO SKIVE			
			OSI4-06	20,8	Standard	SKIVE	23		
1/2"	08	12	ONI4-08	26,9	"N" tail	NO SKIVE			
			OSI4-08	23,7	Standard	SKIVE	24,5		
5/8"	10	16	ONI4-10	30,8	"N" tail	NO SKIVE			
			0013-10	29,4	Inter-lock	SKIVE	47	15	
3/4"	12	19	004N-12	33,0	Inter-lock	SKIVE	52	15	
			ONI4-12	36,8	"N" tail	NO SKIVE			
1"	16	25	004N-16	41,0	Inter-lock	SKIVE	64	17	
			ONI4-16	44,6	"N" tail	NO SKIVE			
1.1/4"	20	31	0042-20	53,3	Inter-lock	SKIVE	74	22	
			ONI6-20	54,7	"N" tail	NO SKIVE			
1.1/2"	24	38	ONI6-24	62,2	"N" tail	NO SKIVE			
			0042-24	62,6	Inter-lock	SKIVE	84	22	

THS00JG

Mega Jet

Mega Jet 6 spirals

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1"	16	25	00J6-16	46,0	Inter-lock	SKIVE	65	17	
1.1/4"	20	31	0013-20	54,2	Inter-lock	SKIVE	74	22	
1.1/2"	24	38	0013-24	60,5	Inter-lock	SKIVE	84	22	
2"	32	51	0013-32	77,9	Inter-lock	SKIVE	87	30	

TSG0042

HyTraktion

HyTraktion

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1.1/4"	20	31	0042-20	53,8	Inter-lock	SKIVE	74	22	
1.1/2"	24	38	0042-24	62,6	Inter-lock	SKIVE	84	22	
			00HT-24	60,8	Inter-lock	SKIVE	84	22	

THD0500

HySpir500

HySpir500

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	19	004N-12	33,0	Inter-lock	SKIVE	52	15	
1"	16	25	00J4-16	44,1	Inter-lock	SKIVE	62	17	

THEMMDR

MEGADRILL

MEGADRILL

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
2.1/2"	40	63	0013-40	89,0	Inter-lock	SKIVE	125	35	
3"	48	76	0013-48	104,0	Inter-lock	SKIVE	135	37	

TFW0070

HB 10k

Hyblast 10k - 700 bar

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1"	16	25	00Y4-16	45,2	Waterblast	SKIVE	68	30	

TFW0085

HB 12k

Hyblast 12k - 850 bar

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	0019-04	18,2	Multispiral	SKIVE	30		
3/8"	06	10	00Y4-06	26,7	Waterblast	SKIVE	50	22	
1/2"	08	12	00Y4-08	29,9	Waterblast	SKIVE	52	23	
3/4"	12	19	00Y4-12	37,6	Waterblast	SKIVE	56	25	
1"	16	25	00Y6-16	48,0	Waterblast	SKIVE	68	30	

TFW0110; TFW0100

HB 15k

Hyblast 15k - 1000 - 1100 bar

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	0019-04	18,2	Multispiral	SKIVE	30		
3/8"	06	10	00Y4-06	27,5	Waterblast	SKIVE	50	22	
1/2"	08	12	00Y4-08	30,5	Waterblast	SKIVE	52	23	
3/4"	12	19	00Y4-12	37,8	Waterblast	SKIVE	56	25	

TFW0125; TFW0120

HB 18k

Hyblast 18k - 1200 - 1250 bar

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	10	00Y4-06	27,5	Waterblast	SKIVE	50	22	
1/2"	08	12	00Y4-08	30,5	Waterblast	SKIVE	52	23	

TFW0145; TFW0135

HB 20k

Hyblast 20k - 1350 - 1450 bar

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
-----------------	--------------	----------	-------------------	---------------------------	-------------------	-------------------	--------------	--------------	----------------------------

TFW0145; TFW0135

HB 20k

Hyblast 20k - 1350 - 1450 bar

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	10	00Y6-06	30,0	Waterblast	SKIVE	50	22	
1/2"	08	12	00Y6-08	33,5	Waterblast	SKIVE	52	23	
3/4"	12	19	00Y6-12	41,0	Waterblast	SKIVE	56	25	

TFS0006I

R6

SAE 100 R6

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	0007-03	13,0	Standard	NO SKIVE			
1/4"	04	6	0007-04	14,2	Standard	NO SKIVE			
5/16"	05	8	0007-05	16,8	Standard	NO SKIVE			
3/8"	06	10	0007-06	18,5	Standard	NO SKIVE			
1/2"	08	12	0007-08	22,6	Standard	NO SKIVE			
5/8"	10	16	0007-10	25,6	Standard	NO SKIVE			
3/4"	12	19	0007-12	29,2	Standard	NO SKIVE			
1"	16	25	0007-16	37,0	Standard	NO SKIVE			

TFE02TEI

2TE

EN 854 2TE

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	0003-03	14,6	Standard	NO SKIVE			
1/4"	04	6	0007-04	15,0	Standard	NO SKIVE			
5/16"	05	8	0007-05	16,3	Standard	NO SKIVE			
3/8"	06	10	0007-06	18,8	Standard	NO SKIVE			
1/2"	08	12	0007-08	22,6	Standard	NO SKIVE			
5/8"	10	16	0007-10	26,5	Standard	NO SKIVE			

TFE02TEI

2TE

EN 854 2TE

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	19	0007-12	28,8	Standard	NO SKIVE			
1"	16	25	0007-16	37,0	Standard	NO SKIVE			

TFE03TEI

3TE

EN 854 3TE

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	0003-03	15,0	Standard	NO SKIVE			
1/4"	04	6	0003-04	16,0	Standard	NO SKIVE			
5/16"	05	8	0003-05	18,2	Standard	NO SKIVE			
3/8"	06	10	0003-06	20,6	Standard	NO SKIVE			
1/2"	08	12	0003-08	23,3	Standard	NO SKIVE			
5/8"	10	16	0003-10	27,5	Standard	NO SKIVE			
3/4"	12	19	0003-12	32,0	Standard	NO SKIVE			
1"	16	25	0003-16	39,8	Standard	NO SKIVE			

TFS0005

R5

SAE 100 R5

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
5/16"	05	8	0003-04	15,6	Standard	NO SKIVE			
3/8"	06	10	0003-05	18,1	Standard	NO SKIVE			
1/2"	08	12	0003-06	20,5	Standard	NO SKIVE			
5/8"	10	16	0003-08	24,5	Standard	NO SKIVE			
3/4"	12	19	0003-10	27,7	Standard	NO SKIVE			
1"	16	25	0003-12	31,6	Standard	NO SKIVE			

TFS0004

R4

SAE 100 R4

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	19	0003-12	33,0	Standard	NO SKIVE			
1"	16	25	012N-16	39,2	Standard	NO SKIVE			
1.1/4"	20	31	012N-20	46,0	Standard	NO SKIVE			
1.1/2"	24	38	012N-24	52,6	Standard	NO SKIVE			
2"	32	51	012N-32	66,3	Standard	NO SKIVE			
2.1/2"	40	63	012N-40	81,8	Standard	NO SKIVE			
3"	48	76	012N-48	93,4	Standard	NO SKIVE			

TFS0007-T2S0007-TFS0NC7-TFS00M7-TFS00Y7-TFS00V7

R7

EN 855 R7

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	0007-03	11,5	Standard	NO SKIVE			
1/4"	04	6	0007-04	13,7	Standard	NO SKIVE			
5/16"	05	8	0007-05	16,4	Standard	NO SKIVE			
3/8"	06	10	0007-06	18,2	Standard	NO SKIVE			
1/2"	08	12	0007-08	22,5	Standard	NO SKIVE			
5/8"	10	16	0007-10	25,6	Standard	NO SKIVE			
3/4"	12	19	0007-12	28,7	Standard	NO SKIVE			

TFS0008-TFS0NC8-TFS00M8-TFS00Y8-TFS00V8-T2S0008

R8

EN 855 R8

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
02	02	4	0008-02	10,0	Standard	NO SKIVE			
3/16"	03	5	0008-03	11,6	Standard	NO SKIVE			
1/4"	04	6	0008-04	13,8	Standard	NO SKIVE			

TFS0008-TFS0NC8-TFS00M8-TFS00Y8-TFS00V8-T2S0008

R8

EN 855 R8

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
5/16"	05	8	0008-05	16,6	Standard	NO SKIVE			
3/8"	06	10	0008-06	18,2	Standard	NO SKIVE			
1/2"	08	12	0008-08	22,6	Standard	NO SKIVE			
5/8"	10	16	0008-10	26,2	Standard	NO SKIVE			
3/4"	12	19	0008-12	29,8	Standard	NO SKIVE			
1"	16	25	0008-16	37,8	Standard	NO SKIVE			

TFS00H1-TFS0H1M-TFS00V1-T2S00H1

1 TRECCIA H1/V1

Termoplastico Acciaio 1 treccia

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	0008-03	12,1	Standard	NO SKIVE			
1/4"	04	6	0008-04	14,4	Standard	NO SKIVE			
5/16"	05	8	0008-05	16,4	Standard	NO SKIVE			
3/8"	06	10	0008-06	18,5	Standard	NO SKIVE			
1/2"	08	12	0008-08	21,8	Standard	NO SKIVE			
5/8"	10	16	0008-10	25,4	Standard	NO SKIVE			
3/4"	12	19	0008-12	29,1	Standard	NO SKIVE			
1"	16	25	0008-16	37,4	Standard	NO SKIVE			

TFS00H2-TFS00V2-TFS00V2

2 TRECCE H2/V2

Termoplastico Acciaio 2 trecce

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	0022-04	16,5	Standard	NO SKIVE			
3/8"	06	10	0022-06	19,7	Standard	NO SKIVE			

TFS00HP-TFSNCHP-T2S00HP

HyUltra

Termoplastico rinf misto alte pressioni

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	6	002M-04	15,5	Multispiral	NO SKIVE			

TF000T1

PTFE

SAE 100 R14

Pollici Inch	Dash Dash	DN DN	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/16"	03	5	PTFE-03	10,3	Standard	NO SKIVE			
1/4"	04	6	PTFE-04	12,0	Standard	NO SKIVE			
5/16"	05	8	PTFE-05	14,7	Standard	NO SKIVE			
3/8"	06	10	PTFE-06	16,0	Standard	NO SKIVE			
1/2"	08	12	PTFE-08	18,9	Standard	NO SKIVE			
5/8"	10	16	PTFE-10	22,8	Standard	NO SKIVE			
3/4"	12	19	PTFE-12	26,2	Standard	NO SKIVE			
1"	16	25	PTFE-16	33,2	Standard	NO SKIVE			