

Hyblast / Multispiral Tail





00Y4



Swaged Ferrule (skive)

138

00Y6



Swaged Ferrule (skive)


138

0019



Swaged Ferrule (skive)

139



0050Y



BSP Female 60° cone
Thrust Wire

139



0370Y



NPTF Male 60° cone

140



0084Y




Metric Female 24° Seat
Heavy

140



002M



Swaged Ferrule (skive)

141



0900M



JIC Female 74° - Thrust
Wire Nut


141

0950M



JIC 90° Swept Elbow 74°
Cone - Thrust Wire

142



0050M



BSP Female 60° cone
Thrust Wire

142

0150M



BSP 90° Swept Elbow 60°
cone Thrust Wire

142



0370M



NPTF Male 60° cone

143



0084M



Metric Female 24° Seat
Heavy

143


0184M



90° Metric Swept Elbow
24° Seat Heavy

143


00Y4



Swaged Ferrule (skive)

Product number	hose I.D.		Dimension		skive	valid for
	in	mm	D	L	Length	-
00Y4-06	3/8	9.5	32.5	58.5	50/22	HB 12k/15k/18k
00Y4-08	1/2	12.7	36.5	62	52/23	HB 12k/15k/18k
00Y4-12	3/4	19	43.8	69	56/25	HB 12k/15k
00Y4-16	1	25.4	51.9	78.5	68/30	HB 10k


00Y6



Swaged Ferrule (skive)


Product number	hose I.D.		Dimension		skive	valid for
	in	mm	D	L	Length	-
00Y6-06	3/8	9.5	35.5	58.5	50/22	HB 20k
00Y6-08	1/2	12.7	39.8	62	52/23	HB 20k
00Y6-12	3/4	19	47	69	56/25	HB 20k
00Y6-16	1	25.4	54.9	78.5	68/30	HB 12k

0019

Swaged Ferrule (skive)


Product number	hose I.D.		Dimension		skive	valid for
	in	mm	D	L	Length	-
0019-04	1/4	6.4	21	40	30	WB-VHP-4SP-4SH

0050Y

BSP Female 60° cone Thrust Wire

Product number	hose I.D.		Dimension				Max WP
	in	mm	dash size	T	E	Cut-off C	bar
0050Y06-06	3/8	9.5	06	3/8-19	25	28	1250
0050Y08-08	1/2	12.7	08	1/2-14	30	33	1100
0050Y12-12	3/4	19	12	3/4-14	32	33	850
0050Y16-16	1	25.4	16	1-11	38	40	700

0370Y




NPTF Male 60° cone

(AGN)

Product number	hose I.D.		Dimension				Max WP
	in	mm	dash size	T	E	Cut-off C	bar
0370Y06-06	3/8	9.5	06	3/8-18	19	29	1100
0370Y08-08	1/2	12.7	08	1/2-14	22	35	1100
0370Y12-12	3/4	19	12	3/4-14	27	37	850
0370Y16-16	1	25.4	16	1-11.1/2	38	49	700


0084Y




Metric Female 24° Seat Heavy

(DKOS)

Product number	hose I.D.		Dimension					Max WP
	in	mm	dash size	T	erm.	E	Cut-off C	bar
0084Y06-22	3/8	9.5	06	M22-1.5	14	30	38	1450
0084Y06-24	3/8	9.5	06	M24-1.5	16	32	39	1450
0084Y08-24	1/2	12.7	08	M24-1.5	16	34	39	1450
0084Y12-36	3/4	19	12	M36-2	25	46	45	1450


002M**Swaged Ferrule (skive)**

Product number	hose I.D.		Dimension		skive
	in	mm	D	L	Length
002M-04	1/4	6.4	19.6	38	29
002M-06	3/8	9.5	24	40	31

0900M**JIC Female 74° - Thrust Wire Nut****(DKJ)**

Product number	hose I.D.		Dimension			
	in	mm	dash size	T	E	Cut-off C
0900M04-04	1/4	6.4	04	7/16-20	17	16
0900M06-06	3/8	9.5	06	9/16-18	19	18
0900M06-08	3/8	9.5	06	3/4-16	24	20

0950M




JIC 90° Swept Elbow 74° Cone - Thrust Wire

(DKJ 90°)

Product number	hose I.D.		Dimension				
	in	mm	dash size	T	E	drop H	Cut-off C
0950M04-04	1/4	6.4	04	7/16-20	17	26	26
0950M06-06	3/8	9.5	06	9/16-18	19	33	35
0950M06-08	3/8	9.5	06	3/4-16	24	34	35

0050M




BSP Female 60° cone Thrust Wire

(DKR)

Product number	hose I.D.		Dimension			
	in	mm	dash size	T	E	Cut-off C
0050M04-04	1/4	6.4	04	1/4-19	19	20


0150M




BSP 90° Swept Elbow 60° cone Thrust Wire

(DKR 90°)


Product number	hose I.D.		Dimension				
	in	mm	dash size	T	E	drop H	Cut-off C
0150M04-04	1/4	6.4	04	1/4-19	19	28	26

0370M**NPTF Male 60° cone****(AGN)**

Product number	hose I.D.		Dimension			
	in	mm	dash size	T	E	Cut-off C
0370M04-04	1/4	6.4	04	1/4-18	29	29
0370M06-06	3/8	9.5	06	3/8-19	29	29

0084M**Metric Female 24° Seat Heavy****(DKOS)**

Product number	hose I.D.		Dimension				
	in	mm	dash size	T	erm.	E	Cut-off C
0084M04-16	1/4	6.4	04	M16-1.5	8	19	27
0084M04-18	1/4	6.5	04	M18-1.5	10	22	24

0184M**90° Metric Swept Elbow 24° Seat Heavy****(DKOS 90°)**

Product number	hose I.D.		Dimension					
	in	mm	dash size	T	erm.	E	drop H	Cut-off C
0184M04-16	1/4	6.4	04	M16-1.5	8	19	26	28
0184M04-18	1/4	6.4	04	M18-1.5	10		31	33