

TFD0012, TFD2012

ONE

Hypress One 1SN - EN 853 - SAE100R1AT - ISO 1436

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	15,7	One-Piece	NO SKIVE			22,5
5/16"	05	0022G05	18,0	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	19,7	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	23,4	One-Piece	NO SKIVE			25
5/8"	10	0022G10	26,6	One-Piece	NO SKIVE			25
3/4"	12	0022G12	30,8	One-Piece	NO SKIVE			32
1"	16	0022G16	38,6	One-Piece	NO SKIVE			40
1.1/4"	20	0022G20	46,0	One-Piece	NO SKIVE			47
1.1/2"	24	0022G24	54,2	One-Piece	NO SKIVE			57
2"	32	0022G32	67,6	One-Piece	NO SKIVE			64

TFD0022, TFD2022

TWO

Hypress Two 2SN - EN 853 - SAE100R2AT - ISO 1436

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	16,9	One-Piece	NO SKIVE			22,5
5/16"	05	0022G05	18,8	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	20,5	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	24,4	One-Piece	NO SKIVE			25
5/8"	10	0022G10	27,7	One-Piece	NO SKIVE			25
3/4"	12	0022G12	32,1	One-Piece	NO SKIVE			32
1"	16	0022G16	39,6	One-Piece	NO SKIVE			40
1.1/4"	20	0022G20	48,6	One-Piece	NO SKIVE			47
1.1/2"	24	0022G24	56,4	One-Piece	NO SKIVE			57
2"	32	0022G32	69,5	One-Piece	NO SKIVE			64

Hypress 1SC; Hipac 1SC; Longlife 1SC; LongLift 1SC; LongLife Dual
1SC; TFE001K; TFE201K; THE001K; THE101K; THE201K; THL101K; THL201K;

1SC

EN 857 1SC ISO 11237 1SC

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	15,7	One-Piece	NO SKIVE			22,5
5/16"	05	0022G05	17,4	One-Piece	NO SKIVE			22,5

Hypress 1SC; Hipac 1SC; Longlife 1SC; LongLift 1SC; LongLife Dual
1SC; TFE001K; TFE201K; THE001K; THE101K; THE201K; THL101K; THL201K;

1SC

EN 857 1SC ISO 11237 1SC

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	0022G06	19,0	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	23,2	One-Piece	NO SKIVE			25
5/8"	10	0022G10	26,6	One-Piece	NO SKIVE			25
3/4"	12	0022G12	31,0	One-Piece	NO SKIVE			32
1"	16	0022G16	37,8	One-Piece	NO SKIVE			40
1.1/4"	20	0022G20	45,8	One-Piece	NO SKIVE			47
1.1/2"	24	0022G24	53,2	One-Piece	NO SKIVE			57
2"	32	0022G32	66,4	One-Piece	NO SKIVE			64

Hypress 2SC; Hipac 2SC; Longlife 2SC ; HyOzone; LongLift 2SC; LongLife
Dual 2SC; TFE002K; TFE202K; THE002K; THE202K; THEM02K; THE102K;

2SC

EN 857 2SC - ISO 11237 2SC - SAE 100R16

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	16,7	One-Piece	NO SKIVE			22,5
5/16"	05	0022G05	18,4	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	20,1	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	24,3	One-Piece	NO SKIVE			25
5/8"	10	0022G10	26,8	One-Piece	NO SKIVE			25
3/4"	12	0022G12	31,4	One-Piece	NO SKIVE			32
1"	16	0022G16	38,9	One-Piece	NO SKIVE			40
1.1/4"	20	0022G20	47,2	One-Piece	NO SKIVE			47
1.1/2"	24	0022G24	55,0	One-Piece	NO SKIVE			57
2"	32	0022G32	68,0	One-Piece	NO SKIVE			64

Hypress Easy K 1SC; TFA201K

Easy K 1SC

EN 857 1SC - ISO 11237 1SC

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	15,7	One-Piece	NO SKIVE			22,5
5/16"	05	0022G05	17,4	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	19,0	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	23,2	One-Piece	NO SKIVE			25
5/8"	10	0022G10	26,2	One-Piece	NO SKIVE			25

Hypress Easy K 1SC; TFA201K

Easy K 1SC

EN 857 1SC - ISO 11237 1SC

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	0022G12	31,0	One-Piece	NO SKIVE			32
1"	16	0022G16	37,8	One-Piece	NO SKIVE			40

Hypress Easy K 2SC; TFA202K

Easy K 2SC

EN 857 2SC - ISO 11237 2SC

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	16,7	One-Piece	NO SKIVE			22,5
5/16"	05	0022G05	18,4	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	20,1	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	23,5	One-Piece	NO SKIVE			25
5/8"	10	0022G10	26,8	One-Piece	NO SKIVE			25
3/4"	12	0022G12	31,4	One-Piece	NO SKIVE			32
1"	16	0022G16	38,9	One-Piece	NO SKIVE			40

TFS0017

R17

SAE 100 R17 (3000 PSI) - ISO 11237 R17

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	15,7	One-Piece	NO SKIVE			22,5
5/16"	05	0022G05	17,4	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	19,0	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	23,6	One-Piece	NO SKIVE			25
5/8"	10	0022G10	26,8	One-Piece	NO SKIVE			25
3/4"	12	0022G12	31,4	One-Piece	NO SKIVE			32
1"	16	0022G16	39,9	One-Piece	NO SKIVE			40

Marathon ; THE0M2K; THEMM2K; THE2M2K

2MC

EN 857 2SC

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	16,7	One-Piece	NO SKIVE			22,5
5/16"	05	0022G05	18,4	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	20,1	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	24,3	One-Piece	NO SKIVE			25
5/8"	10	0022G10	26,8	One-Piece	NO SKIVE			25
3/4"	12	0022G12	31,4	One-Piece	NO SKIVE			32
1"	16	0022G16	39,4	One-Piece	NO SKIVE			40

Jet 1SC; JetPlus 1SC; TFN001K; TFB001K; THN001K; THB001K

JET / JET PLUS 1SC

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	15,7	One-Piece	NO SKIVE			22,5
5/16"	05	0022G05	17,4	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	19,0	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	23,2	One-Piece	NO SKIVE			25

Jet 2SC; JetPlus 2SC; TFN002K; TFB002K; THN002K; THB002K

JET / JET PLUS 2SC

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	16,7	One-Piece	NO SKIVE			22,5
5/16"	05	0022G05	18,4	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	20,1	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	24,3	One-Piece	NO SKIVE			25

TSW2280

SEWERJET 280

SewerJet 280 bar

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
-----------------	--------------	-------------------	---------------------------	-------------------	-------------------	--------------	--------------	----------------------------

TSW2280

SEWERJET 280

SewerJet 280 bar

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	0022G06	19,0	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	24,3	One-Piece	NO SKIVE			25
3/4"	12	0022G12	31,4	One-Piece	NO SKIVE			32
1"	16	0022G16	38,9	One-Piece	NO SKIVE			40
1.1/4"	20	0022G20	47,2	One-Piece	NO SKIVE			47

Hytruck 200 bar; TTRK200

HYTRUCK 200

HyTruck 200

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	0022G12	31,0	One-Piece	NO SKIVE			32
1"	16	0022G16	38,9	One-Piece	NO SKIVE			40

Hytruck 250 bar;TTRK250

HYTRUCK 250

HyTruck 250

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	0022G12	31,0	One-Piece	NO SKIVE			32
1"	16	0022G16	38,9	One-Piece	NO SKIVE			40

Hytruck 350 bar;TTRK350

HYTRUCK 350

HyTruck 350

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	0022G12	31,4	One-Piece	NO SKIVE			32
1"	16	0022G16	38,9	One-Piece	NO SKIVE			40

Hypress R15; HyGreen R15;TFSM015; TFDG015;TFDR015

R15

ISO 3862 R15 - SAE 100 R15 (6000 PSI)

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	BMC4-12	37,0	One-Piece	NO SKIVE			46,5
1"	16	BMC4-16	47,1	One-Piece	NO SKIVE			61
1.1/4"	20	BMC6-20	57,5	One-Piece	NO SKIVE			67,5
1.1/2"	24	BMC6-24	64,8	One-Piece	NO SKIVE			72
2"	32	BMC6-32	80,5	One-Piece	NO SKIVE			96

Hypress R13; HyGreen R13;TFSM013; TFDG013; TFDR013

R13

EN 856 R13 - SAE 100 R13 (5000 PSI) - ISO 3862 R13

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	BMC4-12	37,0	One-Piece	NO SKIVE			46,5
1"	16	BMC4-16	47,1	One-Piece	NO SKIVE			61
1.1/4"	20	BMC6-20	57,5	One-Piece	NO SKIVE			67,5
1.1/2"	24	BMC6-24	64,8	One-Piece	NO SKIVE			72
2"	32	BMC6-32	80,5	One-Piece	NO SKIVE			96

Hypress 4SH;HyGreen 4SH; TFDM4SH; TFD04SH; TFDG4SH; TFDR4SH

4SH

EN 856 4SH - ISO 3862 4SH

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	BMC4-12	37,0	One-Piece	NO SKIVE			46,5
1"	16	BMC4-16	46,7	One-Piece	NO SKIVE			61
1.1/4"	20	BMC6-20	54,5	One-Piece	NO SKIVE			67,5
1.1/2"	24	BMC6-24	61,0	One-Piece	NO SKIVE			72
2"	32	BMC6-32	77,5	One-Piece	NO SKIVE			96

Hypress 4SP; TFDM4SP; TFD04SP

4SP

EN 856 4SP - ISO 3862 4SP

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
-----------------	--------------	-------------------	---------------------------	-------------------	-------------------	--------------	--------------	----------------------------

Hypress 4SP; TFD4SP; TFD04SP

4SP

EN 856 4SP - ISO 3862 4SP

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/4"	12	BMC4-12	37,0	One-Piece	NO SKIVE			46,5
1"	16	BMC4-16	46,8	One-Piece	NO SKIVE			61
1.1/4"	20	BMC6-20	57,5	One-Piece	NO SKIVE			67,5
1.1/2"	24	BMC6-24	64,0	One-Piece	NO SKIVE			72

TIB2021; TIBY021

IB21

Hysoflex 3k ISO 18752 / Braided

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	15,7	One-Piece	NO SKIVE			22,5
5/16"	05	0022G05	17,4	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	19,0	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	23,5	One-Piece	NO SKIVE			25
5/8"	10	0022G10	26,8	One-Piece	NO SKIVE			25
3/4"	12	0022G12	31,4	One-Piece	NO SKIVE			32
1"	16	0022G16	39,9	One-Piece	NO SKIVE			40

TIB2028; TIBY028

IB28

Hysoflex 4k ISO 18752 / Braided

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	16,7	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	20,1	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	24,3	One-Piece	NO SKIVE			25
5/8"	10	0022G10	26,8	One-Piece	NO SKIVE			25
3/4"	12	0022G12	31,4	One-Piece	NO SKIVE			32

TIB2035; TIBY035

IB35

Hysoflex 5k ISO 18752 / Braided

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	16,7	One-Piece	NO SKIVE			22,5
3/8"	06	0022G06	20,1	One-Piece	NO SKIVE			22,5
1/2"	08	0022G08	24,3	One-Piece	NO SKIVE			25

TIB2042; TIBY042

IB42

Hysoflex 6k ISO 18752 / Braided

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1/4"	04	0022G04	16,7	One-Piece	NO SKIVE			22,5

TIS0021:TISM021

IS21

Hysoflex 3k ISO 18752 / Spiral

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1.1/4"	20	0N14-20	51,7	One-Piece	NO SKIVE			57,5

TIS0028:TISM028

IS28

Hysoflex 4k ISO 18752 / Spiral

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	0N14-06	24,3	One-Piece	NO SKIVE			29,5
1/2"	08	0N14-08	26,9	One-Piece	NO SKIVE			30
5/8"	10	0N14-10	30,8	One-Piece	NO SKIVE			38
3/4"	12	0N14-12	36,2	One-Piece	NO SKIVE			41,5
1"	16	0N14-16	44,0	One-Piece	NO SKIVE			49
1.1/4"	20	0N14-20	51,7	One-Piece	NO SKIVE			57,5
1.1/2"	24	0N14-24	59,4	One-Piece	NO SKIVE			65,5

TIS0035;TISM035

IS35

Hysoflex 5k ISO 18752 / Spiral

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
3/8"	06	ONI4-06	24,3	One-Piece	NO SKIVE			29,5
1/2"	08	ONI4-08	26,9	One-Piece	NO SKIVE			30
5/8"	10	ONI4-10	30,8	One-Piece	NO SKIVE			38
3/4"	12	ONI4-12	36,2	One-Piece	NO SKIVE			41,5
1"	16	ONI4-16	44,0	One-Piece	NO SKIVE			49
1.1/4"	20	ONI4-20	52,1	One-Piece	NO SKIVE			57,5
1.1/2"	24	ONI4-24	59,2	One-Piece	NO SKIVE			65,5

TIS0042;TISM042

IS42

Hysoflex 6k ISO 18752 / Spiral

Pollici Inch	Dash Dash	Ghiera Ferrule	Ø Pressatura Swaging Ø	Inserto Insert	Pelatura Skive	Est. Ext.	Int. Int.	Lung. Ins. Insert Depth
1.1/2"	24	ONI6-24	62,2	One-Piece	NO SKIVE			
3/8"	06	ONI4-06	24,3	One-Piece	NO SKIVE			29,5
1/2"	08	ONI4-08	26,9	One-Piece	NO SKIVE			30
5/8"	10	ONI4-10	30,8	One-Piece	NO SKIVE			38
3/4"	12	ONI4-12	36,8	One-Piece	NO SKIVE			41,5
1"	16	ONI4-16	44,6	One-Piece	NO SKIVE			49
1.1/4"	20	ONI6-20	54,7	One-Piece	NO SKIVE			57,5